Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



The Blue Hill Nurseries

SOUTH BRAINTREE, MASS., U. S. A.

PRICE LIST

Hardy Herbaceous Perennials

ALPINE PLANTS


GROWN BY

JULIUS HEURLIN

Graduate Horticulturist and Landscope Gardener

LONG DISTANCE TELEPHONE





NOTES.

All offers are made subject to stock being unsold.

Five and fifty at ten and hundred rate respectively, and where price per 1,000 is given, 250 will be furnished at this rate.

A charge for packing will be made, sufficient to remunerate for the cost of material and labor.

All plants listed are at least one year old and grown in the open field.

Considering where my nursery is located, on the southeast slope of the Blue Hills, the bleakest, most exposed, and according to the U. S. weather bureau, windiest section east of the Rocky Mountains, is it not reasonable to assume that any plant raised and grown here will succeed under conditions a little less trying?

Braintree is on the N. Y., N. H. & H. R. R., ten miles south of Boston, with more than 60 trains a day in either direction.

Nom left of this years list.

PRICE LIST

---- OF ----

Hardy Herbaceous Perennials

____ AND ____

ALPINE PLANTS.

| | | | | Prices | Prices |
|----------------------------------|-------------|-----------|------|---------|----------|
| Achillea. Yarrow or Milfoil. | | | | for 10. | for 100. |
| *** | | | ,. | | |
| Var.: filipendulina, millifolium | , | | | | |
| ptarmica The Pearl . | | | | \$.70 | \$ 6.00 |
| Var.: tomentosa and Ægyptica | | | | 1.00 | 8.00 |
| Aconitum. Monks Hood . | | | | 1.20 | 10.00 |
| Var.: Autumnale, lycotonum, Na | apellus and | l uncinat | tum. | | |
| Acorus calamus vgta. Variegate | ed Flag | | | 1.20 | |
| Adonis vernalis. Pheasants Eye | | | | 1.20 | |
| Agrostemma. See Lychnis. | | | | | |
| Ajuga reptans. Bugle | | | | .70 | 5.00 |
| Althæa rosea. Hollyhock . | | | | .70 | |
| Alyssum. Madwort | | | | 1.00 | 7.00 |
| Var.: saxatile compactum (Gold | Dust), ros | stratum | and | | |
| argenteum. | | | | | |
| Amorpha canescens | | | | 1.20 | 8.00 |
| Amsonia tabernamontana | | | | 1.20 | 8.00 |
| Anchusa Italica. Alkanet . | | | | .80 | 7.00 |
| Anemona. Windflower. | | | | | |
| Var.: Japonica, Whirlwind | | | in. | 1.20 | 8.00 |
| Var.: sylvestris, Canadensis (Pe | ennsylvani | ca) . | | .70 | 5.00 |
| Anthemis tinctoria. Golden Mar | guerite. | (in var.) | | .70 | 6.00 |
| Aquilegia. Columbine. | | | | | |
| Var.: alpina, chrysantha, Canad | lensis, gla | ndulosa | and | | |
| vulgaris , , , | | | | 1.00 | 7.00 |
| Var.: cærulea, chrysantha alba, | | | | | |
| nivea grfl. (Munsted white) | | | | 1.50 | |

| | Prices for 10. | Prices for 100. |
|---|-------------------|--------------------|
| Arabis albida. Rock-cress | \$1 00 | \$7.00 |
| Arenaria verna. Sand-wort | 1.00 | * 7.00 |
| Var.: cæspitosa | 1.00 | |
| Armeria. (Thrift) latifolia, (cephalotes) | 1.20 | |
| Armeria. maritima Laucheana | .70 | 6.00 |
| Artemisia abrotanum. Southern-wood | .70 | 6.00 |
| Var.: absinthium (Worm-wood), stellariana (Old Woman) | | |
| pontica (Old Man). | | |
| Var.: dracunculus (Tarragon) | 1.50 | |
| Aruncus astilboides. (Spiraa aruneus) Goat's Beard | .80 | 6.00 |
| Asarum Canadense. Wild Ginger | . 60 | |
| Asclepias tuberosa. Butterfly-weed | .80 | 6.00 |
| Asperula odorata. Sweet Woodruff | 1.00 | 8.00 |
| Aster. Michaelmas Daisy. | | |
| Var.: alpinus, Chapmanii, longifolia formosa and for- | | |
| mosissima, Novæ-Anglia, puniceus, lavis, spectabilis, | | |
| Herveyii, versicolor, Novæ-Belgii, Robert Parker and | | |
| Lady Trevellyn | .70 | 5.00 |
| Var.: amæthystina, alpinus speciosus, Novæ-Anglia rosea | | |
| and alba, Maackii, Nova-Belgii Madonna, patens, | | |
| (pink form), bicolor, puniceus compactus, Townshen- | | |
| dii, turbinellus and ptarmicoides | 1.00 | 8.00 |
| Astilbe Chinensis | 1.00 | 8.00 |
| Astilbe Japonica | .70 | 6.00 |
| Baptisia Australis. False Indigo | .80 | 7.00 |
| Bocconia cordata. Plume Poppy. | .80 | 7.00 |
| Boltonia. (False Chamomile), asteroides (glastifolia) | | |
| and latisquama | .70 | 5.00 |
| Calimeris incisa | 1.00 | 8.00 |
| Callirhoë involucrata. Poppy Mallow | .80 | 7.00 |
| Campanula. Bellflower. | | |
| Var.: Carpatica and alba, glomerata Dahurica, nobilis, | | |
| persicifolia alba and macrantha, rotundifolia and | - 17 18 | |
| Trachelium | 1.00 | 8.00 |
| Var.: persicifolia grfl. and van Houtteii | 2.00 | |
| Cassia Marilandica. Wild Senna | .80 | 7.00 |
| Catananche cærulea. Everlasting | 1.00 | 8.00 |
| Cedronella cana. Balm of Gilead | 1.20 | 10.00 |
| | | |

| | | Prices for 100. |
|---|--------|--------------------|
| Centaurea. Corn-flower. | | |
| Var.: Babylonica and dealbata (declinata) | \$2.00 | |
| Var.: Montana and rosea, nigra and nigra vgta. | 1.00 | \$8.00 |
| Centranthus ruber. Jupiter's Beard | 1.50 | |
| Cephalarica Tatarica | 1.00 | 8.00 |
| Cerastium tomentosum. Mouse-ear Chickweed | 1.00 | 8.00 |
| Ceratostigma plumbaginoides. Leadwort, (Plumbago | | |
| Larpentæ) | 1.00 | 8.00 |
| Chelone Lyoni. Turtle Head | 1.20 | 10.00 |
| Chrysanthemum coccineum. Pyrethrum roseum . | 1.00 | 7.00 |
| Chrysanthemum uliginosum. Pyrethrum uliginosum | | |
| \$40.00 per M | 70 | 5.00 |
| Chrysanthemum maximum. | 1.00 | 6.00 |
| Chrysanthemum Early Hardy Pompons | 1.30 | 10.00 |
| Var.: Precosité, Golden Fleece, Canary (yellow), Fèlecité | | |
| (orange turning to yellow), Petit Mignon (pink and | | |
| brown), Toreador (dark bronze), Chromatella (terra- | | |
| cotta), Blushlng Bride (pink). | | |
| Cimicifuga racemosa. Black Snake-root | 1.00 | 8.00 |
| Clematis Davidiana and recta | 1.00 | 8.00 |
| Conoclinum cælestinum. Mist Flower | 1.00 | 8.00 |
| Convallaria majalis. Lily of the Valley | . 60 | 5.00 |
| Coreopsis, lanceolata and verticillata | .80 | 6.00 |
| Coreopsis grandiflora, tripteris and delphinifolia . | 1.00 | 8.00 |
| Coronilla varia. Crown-Vetch | 1.00 | 8.00 |
| Coronilla scoparioides. (Cappadocica?) | 1.50 | |
| Cytisus capitatus. Broom | 1.50 | 12.00 |
| Daphne cneorum. Garland Flower | 2.50 | 20.00 |
| Delphinium Cashmerianum and formosum | 1.20 | 10.00 |
| Var.: Grfl. and alba (Chinensis), hybridum (Kelways' | | |
| and Lemoins' strain) | .80 | 6.00 |
| Var.: Barlowi | 2.00 | |
| Desmodium. (See Lespedeza.) | | |
| Dianthus barbatus. Sweet William | .80 | 6.00 |
| Var.: deltoide superbus and plumarius | .80 | 6.00 |
| Var.: plumarius (Scotch Pink), cyclops, semperfloreus | | |
| and New Mound | 1.00 | 8.00 |
| Var.: alpinus | 1.30 | 10.00 |
| | | |

| | Prices | Duines |
|---|--------|----------|
| | | for 100. |
| Dicentra eximia (Ladies' Ear-drop) and Dicentra | | |
| spectabilis. Bleeding Heart | \$1.00 | \$ 8.00 |
| Dicentra eximia multipinnata | 1.50 | 12.00 |
| Dictamnus albus. Var.: ruber (Gas Plant) | 1.20 | |
| Digitalis (Fox-glove), ambigua and purpurea | .80 | 6.00 |
| Digitalis laciniata. Large yellow, downey flowers | 1.50 | |
| Dodecatheon meadia. Shooting-star | 1.20 | |
| Dracocephalum (Dragon's Head), Ruyschianum | 1.20 | |
| Echinacea purpurea. Purple Cone-flower | 1.20 | 8.00 |
| Echinops (Globe Thistle) exaltatus and ritro | 1.20 | 8.00 |
| Epilobium angustifolium. Great Willow Herb | 1.20 | |
| Erianthus Ravennœ. Ravenna Grass | 1.00 | 7.00 |
| Erigeron (Flea-bane), macranthus, speciosus and | | |
| speciosus purpureum | 1.00 | 7.00 |
| Eryngium (See Holly) alpinum and amæthystinum | 1.00 | 7.00 |
| Erysimum (Wall Flower) ruspestre (pulchellum) . | 1.00 | 7.00 |
| Eulalia. (See Miscanthus.) | | |
| Eupatorium (Thoroughwort) ageratoides, aromati- | | |
| cum and melissoides (Fraseri) and purpureum | 1.00 | 7.00 |
| Euphorbia corollata. Flowering Spurge | .80 | 6.00 |
| Funkia (Plantain Lily) lancifolia, lancifolia margin- | | |
| ata, Fortunei and ovata | 1.00 | 7.00 |
| Var.: subcordata grfl. (Corfu Lily) and ovata, var. | | |
| Thomas Hogg | 1.50 | 12.00 |
| Gaillardia aristata grfl. Blanket Flower | 1.00 | 7.00 |
| Var.: J. Kelway | 1.20 | 8.00 |
| Galega officinalis and alba. Goat's Rue | 1.20 | 8.00 |
| Galium boreale and sylvatica. Bed-straw | 1.00 | 7.00 |
| Galtonia candicans. Summer Hyacinth | .50 | 3.00 |
| Gentiana Andrewsii. Closed Gentian | 1.00 | 7.00 |
| Geranium (Crane's Bill) Endressi, Ibericum and | | |
| sanguineum | 1.00 | 8.00 |
| Va.: Armenum and collinum (Londessii) | 2.00 | |
| Geum (Avens), coccineum and atro purpureum pl. | 1.50 | |
| Gillenia stipulacea. Am. Ipecac | 1.20 | 8.00 |
| Globularia tricosantha. Globe Daisy | 1.50 | |
| Gypsophilla cutifolia. Chalk Plant | .80 | 7.00 |
| Gypsophilla paniculata. Baby's Breath | .80 | 7.00 |
| | | |

| | | Prices |
|--|-------|---------------|
| | | for 100. |
| Gypsophilla repens and Steveni | 1.00 | 8.00 |
| Helenium. Sneeze-wort | | |
| Var.: autumnale superbum, a. pumilum and striatum. | 4 00 | 0.00 |
| Hoopesii | | 8.00 |
| Var.: Bolanderii | .80 | 6.00 |
| Helianthus (Sunflower), decapetalus, latiflorus | | |
| Maximiliani, mollis, orgyalis, rigidus, rigidus | | |
| Miss Mellish, multiflorus, m. fl. pl. and m. | | |
| Soleil d'Or | .80 | 7.00 |
| Heliopsis Pitcheriana. Ox-eye | .80. | 6.00 |
| Helonias bullata. Stud Pink | 1.20 | 8.00 |
| Hemerocallis (Day Lily)) aurantiaca major | 2.50 | |
| Hemerocallis Thunbergii and Kwanso | 1.00 | 8.00 |
| Hemerocallis Dumortierii and flava | .80 | 7.00 |
| Hepatica (Liver-leaf), acutiloba and triloba | .80 | 7.00 |
| Heuchera sanguineum. Coral Bells | 1.20 | 10.00 |
| Hibiscus. (Vallow) Californicus | 2.00 | |
| Hibiscus militaris, moschuetos roseus and Crim- | | |
| son Eye | .80 | 6.00 |
| Hieracium aurantiacum. Hawk-weed | 1.00 | 8.00 |
| Hydrophyllum Canadense. Water-leaf | 1.00 | 8.00 |
| Iberis (candytuft) sempervirens | 1.00 | 8.00 |
| Iberis Gibraltarica | 1.50 | |
| Incarvillea Delavayi | 2.50 | |
| Inula ensifolia and glandulosa | 1.50. | |
| Iris. Fleur de Lis. | | |
| Dwarf Iris: pumila, p. aurea, p. alba, Cengialti and | | |
| cristata | .80 | 5.00 |
| Iris "Germanica:" Honorable. Pancrea, Augustina, | | |
| Princess of Wales, Germanica, Sampson, Queen of | | • |
| Gypsies, Imogene Ware, Juliette, Pallida speciosa | | |
| and Mad. Chereau and Florentina | .80 | 5.00 |
| Mixed | 7.50 | 3.00 |
| Iris lavigata (Kampferi, Japanese Iris) in many varie- | | |
| ties, to name | _1.00 | _7.00 /50 /2. |
| Mixed, \$40.00 per M | | |
| Iris Siberica and S. Orientalis, \$30.00 per M. | | |
| Iris aurea flavissima Bloudovii | 2.50 | |
| | | |

| | Prices for 10. | Prices for 400. |
|---|----------------|--------------------|
| Jasione perennis. Shepherd's Scabious | 80 | 6.00 |
| Kniphofia aloides nobilis. Red Hot Poker | 1.50 | 10.00 |
| Lathyrus latifolius and albus. Everblooming Pea . | 1.20 | 8.00 |
| Lepachys pinnata | 1.00 | 7.00 |
| Lespedeza Sieboldi. (Desmodium penduliflorum.) . | 1.50 | 12.00 |
| Lespedeza juncea sericea | 1.50 | 12.00 |
| Liatris (Blazing Star) elegans, scariosa, spicata and | | |
| pycnostachya. Kansas Gay Feather | 1.00 | 7.00 |
| Linum perenne. Flax | 1.00 | 7.00 |
| Lobelia cardinalis. Cardinal Flower | . 80 | 7.00 |
| Lobelia syphelitica. Blue Lobelia | .80 | 7.00 |
| Lupinus perennis and polyphyllus | 1.00 | 8.00 |
| Lupinus poly. albus and bicolor and Nootkatensis | 1.30 | 10.00 |
| Lychnis Chalcedonica and alba. London Pride. | | |
| Lychnis coronaria (Agrostemma) atropurpurea bi- | | |
| color, Flos-jovis (Flower of Jupiter) and hy- | | |
| brida Walkerii | .80 | 7.00 |
| Var.: dioica pl. (diurna pl.) | 1.50 | |
| Var.: alba pl. (vespertina pl.) and Haageana | 1.00 | 8.00 |
| Var.: viscaria pl. splendens (Ragged Robin). \$50.00 | | |
| per M | 1.00 | 8.00 |
| Var.: flos-cuculi plenissima (Cuckoo Flower) | 1.50 | |
| Lysimachia clethroides. Loose Strife | 1.00 | 7.00 |
| Lysimachia nummularia. Money-wort | . 50 | 3.00 |
| Lythrum salicaria superba. Purple Loose-Strife . | 1.00 | 6.00 |
| Malva alcea. Hollyhock Mallow | 1.50 | 10.00 |
| Mertensia pulmonariodes. (Virginica) Blue Bells . | 1.00 | 7.00 |
| Miscanthus (Eulalia) Sinensis, variegatus, zebrinus | | |
| and gracillimus | 1.00 | 7.00 |
| Monarda didyma coccinea and alba (Bee-balm) | | |
| fistulosa and mollis (Bergamot) | .80 | 6.00 |
| Morina longifolia elegans. Whorl Flower | 2.00 | |
| Myosotis (Forget-me-not) dissitiflora | 1.00 | 7.00 |
| Myosotis palustris semperflorens | 1.00 | 7.00 |
| Ænothera. Evening primrose. | | |
| Var.: fruticosa major and fr. Youngii, glauca (Fraseri) | | |
| Missouriensis, linearis (riparia) and speciosa | 1.00 | 7.00 |
| Opuntia Rafinesquii. Cactus | 1.00 | 7.00 |

| | | | Prices |
|---|-----|--------|----------|
| | | | for 100. |
| Origanum vulgare. Wild Marjoram | | .80 | 6.00 |
| Origanum creticum. Sweet Marjoram . | | .80 | 6.00 |
| Pachysandra terminalis and t. vgta | | . 1.20 | 8.00 |
| Pœonia. Single flowering: | | 2.00 | |
| Bridesmaid (white), 75c. each. | | | |
| Brumalia (purple). | | | |
| Diana (deep rose). | | | |
| Hermes (rosy pink). | | | |
| Oniverie (crimson), 75c. each. | | | |
| Prince Alexander (cherry red). | | | |
| Double flowering: | | 2.00 | |
| Alonzo (crimson). | | | |
| Brennus (light crimson, semi-double). | | | |
| Cyclops (purple). | | | |
| Cal. Cavaignac (delicate pink). | | | |
| Edulus superba (rose). | | | |
| Festiva maxima (white, carmine stripes) \$1.00 each | h. | | |
| Glorie de Chenonceaux (red, elegant). | | | |
| Glorie Mundie (white, orange centre). | | | |
| Grandiflora alba (white). | | | |
| Hebe (white). | ٢ | i. 2 | |
| Jeanne d' Arc (rosy pink). | 00. | 0 20 | |
| Ladas (rose). | | | |
| Lady Carrington (pink). | | | |
| La Brune (deep crimson, yellow centre). | | | |
| Lamartine (red). | | | |
| - Magnifica (pink). | | | |
| Marquis de Lory (white and primrose). | | | |
| Prince P. Galitzin (pure white). | | | |
| Princess Beatrice (pink, yellow centre). | | | |
| Plutarch (light crimson). | | | |
| Queen Victoria (rosy white). | | | |
| Officinalis rubra pl. (red, early). | | | |
| Officinalis rosea pl. (rose early). | | | |
| Pœonia, mixed | | 2.00 | 15.00 |
| Papaver Orientale. Oriental Poppy | | 1.50 | |
| Var.: Parkmanni and Silver queen | | 2.50 | |
| Papaver pilosum | . , | 1.00 | 8.00 |

| | | Prices for 100. |
|--|------|--------------------|
| Penstemon (Beard Tongue), barbatus, Torreyii, con- | | |
| fertus, lævigatus, ovatus | 1.00 | 6.00 |
| Var.: diffusus and grandiflorus | 1.20 | 8.00 |
| Phalaris arundinacea vgta. Ladies' Garter | 1.00 | 6.00 |
| Phlomis tuberosa. Jerusalem Sage | 1.00 | 7.00 |
| Phlox, dwarf varieties: amæna, Carolina and ovata, subu- | | |
| lata and divaricata | 1.00 | 7.00 |
| Var.: sub. Model, compacta, The Bride and Nelsonii. | | |
| \$40.00 per M. | . 70 | 5.00 |
| Phlox glaberrima. | | |
| Var.: suffruticosa, Circle, Comedie and Modesty | 1.00 | 7.00 |
| Var.: Miss Lingard | 1.50 | 10.00 |
| Phlox paniculata (decussata) Florence, Independ- | | |
| ence, Fiancé and Candeur (all white) | 1.50 | 10.00 |
| Var.: General Chancey, R. P. Struthers, Lothair, Fer- | | |
| nand Cortez and Coquelicot (Bright Salmon) | 1.50 | |
| Var.: Ornement, Cross of Honor, Colibri, Saison Lier- | | |
| val, Astier Rehu and Huxley (variegated) | 1.20 | |
| Var.: Le Mahdi and Lord Raylieg (dark purple) | 1.50 | |
| Var.: Le Soleil, Lumineaux, Thibaide, Charles Dar- | | |
| win, Eclaireur, Norwood, Toreador and Erckman | | |
| Chatrian (Large Red) | 1.50 | |
| Phlox pan, mixed | 1.00 | 6.00 |
| Physostegia Virginiana and denticulata | .80 | 6.00 |
| Platycodon grfl. Chinese Bellflower | 1.00 | 7 00 |
| Platycodon grfl. Mariesi | 1.20 | |
| Plumbago Larpentæ. (See Ceratostigma.) | | |
| Polemonium (Jacob's Ladder) cæruleum and album, | | |
| reptans and Himalayanum | 1.00 | 8.00 |
| Polygonatum multiflorum. Solomon's Seal | 1.20 | |
| Polygonum amplexicaule. Mountain Fleece | 1.20 | |
| Primula officinalis. Polyanthus | 1.20 | |
| Ranunculus speciosa pl. Batchelor's Buttons | 1.30 | |
| Reseda lutea. Mignonette | 1.00 | 7.00 |
| Rudbeckia (Cone-flower) laciniata and fl. pl. (Golden | | |
| Glow) speciosa and subtomentosa | .80 | 5.00 |
| Rudbeckia maxima | 1.50 | |
| Ruellia ciliosa | 1.00 | 7.00 |
| | | |

| | | | | | Prices for 100. |
|---|---|-------|------|------|--------------------|
| | Salvia (Sage) azurea grf., Greggii | | | 1.20 | |
| | Salvia pratense. Meadow Sage | | | .80 | 5.00 |
| | Sanguinaria Canadensis. Blood-root | | | .80 | 5.00 |
| | Santolina incana. Lavender Cotton | | | .80 | |
| | Saxifraga crassifolia. Rock-foil | | | 1.50 | |
| | Scabiosa Caucasica | | | 1.20 | 8.00 |
| | Scabiosa paposa, sylvatica and s. albiflora | | | 1.20 | 8.00 |
| | Scuttelaria lupulina alpina | | | .80 | 5.00 |
| | Sedum (Stone-crop) acre, Aizoon, Ewersii, | Max | i- | | |
| | mowickzii, maxima and m. vgta., stolo | nifer | a | | |
| | Sieboldii, spectabilis and sp. Brauni | i an | d | | |
| | telephioides | | | 1.20 | 8.00 |
| | Sidalcea candida. Indian Mallow | | | 1.20 | |
| | Silene Shafta. Catch-fly | | | .80 | 7.00 |
| | Silphium perfoliatum. Compass Plant . | | | 1.00 | 7.00 |
| | Spiræa aruncus. (See Aruncus astilboides.) | 1 | | 1.1 | 10 11 8 |
| | Spiræa filipendula pl., tobata (venusta). | | 1 (1 | 1.00 | 7.00 |
| | Spiræa palmata elegans, ulmaria pl, and | aure | a | | |
| B | to vota | I.M. | | .80 | 6.00 |
| | Stachys lanata. Dusty Miller | | | 1.00 | 7.00 |
| | Statice latifolia. Sea Lavender. | | | 1.20 | 8.00 |
| | Statice Gmelenii | | | 1.50 | |
| | Stockesia cyanea. Stoke's Aster | | | 1.20 | |
| | Thalictrum (Meadow Rue) aquilegifolium di | oicui | n | | |
| | and minus | | | 1.20 | |
| | Thermopsis mollis , | | | 1.20 | 10.00 |
| | | | | 1.20 | |
| | Tiarella cordifolia. Foam Flower , | | | 1.00 | 7.00 |
| | · · · · · · · · · · · · · · · · · · · | | | 1.00 | 7.00 |
| | Tradescentia Virg. pl. and alba | | | 1.20 | 8.00 |
| | Trollius (Double Buttercup) Europeus . | | | 1.40 | 10.00 |
| | Trillium grfl. Wake Robin | | | .70 | 5.00 |
| | Tritoma. (See Kniphofia.) | | | | |
| | Tunica saxifraga | | | 1.20 | |
| | Uniola latifolia. Spike Grass | | | 1.20 | 8.00 |
| | | | | 1.00 | 6.00 |
| | Verbascum nigrum. Mullen | | | 1.00 | |
| | Verbascum Phænicium | | | 1.30 | |
| | | | | | |

| Vernonia Nova-Borascensis. Iron-weed | | for 10. | Prices for 100. |
|--|-------|---------|-----------------|
| | | | 1.00 |
| Veronica (Speedwell) amæthystina, cercæ | oraes | , | |
| officinalis, rupestris and spicata . | | 1.00 | 7.00 |
| Var.: incana. \$50.00 per M | | 1.00 | 7.00 |
| Var.: spicata alba and longif, subsessilis . | | 1.20 | 8.00 |
| Vinca minor (Periwinkle) and aurea vgta. | | .80 | 4.00 |
| Viola cornuta, corn. alba and Perfection | | 1.00 | 7.00 |
| Viola lutea grfl | | 1.00 | 7.00 |
| Yucca filamentosa. Adam's Needle and Thread | | 1.20 | 8.00 |

ALPINE PLANTS.

These are best suited for the Rockery, although most of them will succeed equally well in the border.

Achillea argentea, m. roseum, The | Hieracium aurantiaeum.

Pearl, and tomentosa.

Adonis vernalis

Ajuga reptans.

Alyssum in var.

Amorpha canescens.

Anemona pulsatilla and Canadense.

Aquilegia Canadense and alpina.

Arabis albida.

Arenaria verna and caspitosa.

Armeria m. Laucheana,

Artemisia in var.

Aster alpinus and a. speciosa, spec-

tabilis and Herveyii.

Campanula Carpatica and c. alba.

Centaurea montana and nigra vgta.

Cerastium in var.,

Ceratostigma plumbag.

Coronilla varia and scoparioides.

Daphne cneorum.

Dianthus alpinus, deltoida

superba.

Erysimum rupestre.

Geum coccineum.

Globularia trieosantha.

Gypsophilla repens.

Inula ensifolia.

Iris cristata.

Jasione perenne.

Liatris spicata montana and elegans.

Lespedeza juncea sericea.

Mertensia pulmonarioides.

Opuntia Rafenesqui.

Pachysandra.

Papaver pilosum.

Phlox amœna and subulata in var.

Polemonium reptans.

Sanguinaria Canad.

Santolina incana.

Saxifraga crassifolia.

Scabiosa paposa.

Scuttelaria lupulina alpina.

Sedum in var.

Seline Shafta.

Stachys lanata.

Trillium grfl.

Tunica saxifraga.

Veronica amoethystina, cercoeoides,

rupestris and incana.

Vinca in var.

Yucca filamentosa.

With White Flowers.

| | Height. | F | leight. |
|------------------------------|---------|-----------------------------|---------|
| Achillea Mongolica, | 1 ft. | Galtonia candicans. | 5 ft. |
| Achillea, The Pearl, | 18 in. | Gypsophilla pan., | 3 ft. |
| Anemona Whirlwind, | 2 ft. | Gypsophilla Steveni, | 2 ft. |
| Anemona Canadensis, | 1 ft. | Gypsophilla repens, | 6 in. |
| Aquilegia nivea grfl., | 2 ft. | Hibiseus Calif., | 5 ft. |
| Arabis albida, | 6 in. | Hibiscus m. Crimson Eye, | 6 ft. |
| Arenaries, | 2 in. | Iberis semperflorens, | 1 ft. |
| Asperula odorata, | 6 in. | Iris pumila alba, | 1 ft. |
| Aster Lady Trevellyn, | 4 ft. | Lathyrus lat. albus, 5 ft.— | 10 ft. |
| Aster Madonna, | 4 ft. | Lupinus poly. albus, | 3 ft. |
| Aster Novæ Angliæ alba, | 3 ft. | Lychnis Chale. alba, | 3 ft. |
| Aruncus astilboides, | 3 ft. | Lychnis alba pl., | 2 ft. |
| Astilbe Jap, | 18 in. | Lysimachia clethroides, | 2 ft. |
| Bocconia cordata (cream), | 8 ft. | Monarda didyma alba, | 2 ft. |
| Campanula Carp. alba, | 1 ft. | Œnothera speciosa (changing | |
| Campanula persicifolia alba, | 3 ft. | to pink), | 18 in. |
| Campanula nobilis (spotted | | Origanum creticum, | 1 ft. |
| chocolate), | 18 in. | Penstemon lavigatus, | 3 ft. |
| Cephalaria Tatarica (cream), | 5 ft. | Phlox subulata Nelsoni, | 3 in. |
| Cerastiums, | 6 in. | Polemonium coer. album, | 2 ft. |
| Chryanthemum maximum, | 2 ft. | Polygonatum multif., | 3 ft. |
| Chryanthemum uliginosum, | 4 ft. | Polygonum amplex. (cream), | 3 ft. |
| Cimicifuga, | 4 ft. | Scabiosa syl. albiflora, | 2 ft. |
| Clematis recta, | 3 ft. | Sedum maximum (and pink), | |
| Convallaria majalis, | 6 in. | Sidaleca candida, | 4 ft. |
| Delphinium grfl. alba, | 3 ft. | Spiræa filipendula pl., | 18 in. |
| Diantus deltoida alba, | 6 in. | Spiræa palmata elegans, | 3 ft. |
| Diantus New Mound, | 9 in. | Spiræa ulmaria pl., | 2 ft. |
| Eupatorium ageratoides, | 4 ft. | Spiræa ulmaria pl. aurea | Ł |
| Eupatorium Fraserii, | 3 ft. | vgta , | 2 ft. |
| Euphorbia corollata, | 18 in. | Tiarella cordifolia, | 1 ft. |
| Funkia subcordata, | 2 ft. | Tradescantia V. alba, | 18 in. |
| Galega off. alba, | 3 ft. | Veronica spicata alba, | 18 in. |
| Galium boreale, | 3 ft. | Viola cornuta alba, | 6 in. |
| Galium sylvaticum, | 2 ft. | Yucca filamentoso, | 5 ft. |

With Blue Flowers.

| | Height. | | Height. |
|--------------------------------|----------|-------------------------------|---------|
| Aconitum autumnale, | 4 ft. | Geranium Armenum, | 4 ft. |
| Aconitum Napellus, | 3 ft. | Geranium Endressi, | 3 ft. |
| Amsonia tabernæmontana, | 3 ft. | Globularia tricosantha, | 6 in. |
| Anemona pulsatilla, | 1 ft. | Iris Siberica, | 3 ft: |
| Anchusa Italica, | 2 ft. | Iris Siberica Orientale. | 4 ft. |
| Aster Chapmani, | 4 ft. | Iris pumila, | 12 in. |
| Aster longif, formosa and for- | . : | Iris cristata (orange and yel | - |
| mosissima, | 4 ft. | low), | 6 in. |
| Aster Maackii, | 2 ft. | Iris Cengialti, | 9 in. |
| Aster NB. Robert Parker, | 5 ft. | Jasione perenne, | 12 in. |
| Aster amæthystina, | 3 ft. | Lobelia syphelitica, | 2 ft. |
| Aster puniceus and compactus | , 4 ft. | Lupinus polyphyllus, | 3 ft. |
| Aster spectabilis and Herveyi | i, 2 ft. | Lupinus perennis, | 2 ft. |
| Baptisia Australis, | 2 ft. | Lupinus Nootkatensis (red an | đ |
| Boltonia asteroides. | 5 ft. | yellow), | 4 ft. |
| Campanula Carpatica, | 9 in. | Mertensia pulmonarioides, | 1 ft. |
| Campanula latifolia, | 3 ft. | Myosotis dissitiflora, | 6 in. |
| Campanula persicifolia grfl., | 3 ft. | Myosotis palust. semper- | |
| Campanula rotundifolia, | 1 ft. | florens, | 9 in. |
| Campanula van Houttei, | 2 ft. | Penstemon ovatus, | 2 ft. |
| Catananche cœrulea. | 2 ft. | Phlox divaricata (lilac) | 6 in. |
| Ceratostigma plumb., | 18 in. | Platycodon grfl., | 3 ft. |
| Clematis Davidiana, | 2 ft. | Platycodon grfl. Mariesi, | 18 in. |
| Delphinium hybridum, | 5 ft. | Polemonium cœruleum, | 2 ft. |
| Delphinium formosum, | 4 ft. | Polemonium reptans, | 9 in. |
| Delphinium grandiflorum | | Polemonium reptans Hima | - |
| (Sinensis) | 3 ft. | layanum, | 2 ft. |
| Dracocephalum Ruyschianum | , 2 ft. | Ruellia ciliosa (lilac), | 1 ft- |
| Echinops ritro, | 3 ft. | Salvia azurea grfl, | 4 ft |
| Erigeron speciosa, | 2 ft. | Salvia pratense, | 2 ft. |
| Erigeron macrantha, | 6 in. | Statice latifolia, | 2 ft. |
| Eryngium amathyst., | 3 ft. | Statice Gmelenii, | 1 ft. |
| Eupatorium cælestinum, | 18 in. | Scabiosa Caucasica, | 2 ft. |
| Gentiana Andrewsi, | 18 in. | Scabiosa paposa, | 18 in. |
| Geranium collinum, | 2 ft. | Stockesia cyanea, | 2 ft. |
| Geranium Ibericum, | 2 ft. | Tradescantia Virg. and pl., | 2 ft. |

WITH BLUE FLOWERS—Continued.

| Height. | | Height. |
|--------------------------------------|-----------------------------|---------|
| Veronica amathyst. and incana, 1 ft. | Veronica officinalis, | 18 in. |
| Veronica rupestris and cercæoi- | Veronica spicata, | 3 ft. |
| des, 6 in. | Viola cornuta Perfection. | 6 in. |
| Veronica longif. subsessilis, 2 ft. | Vinca minor and aurea vgta, | 6 in. |

With Red Flowers.

| | Height. | Height. |
|-------------------------------|---------|--------------------------------------|
| Achillea m. rubra, | 1 ft. | Geum atropurpureum pl., 2 ft. |
| Althœa rosea (selected), | 6 ft. | Geranium sanguineum, 18 in |
| Aster N. A. rosea, | 6 ft. | Helenium striatum (and orange) 4 ft. |
| Armeria Laueheana, | 6 in. | Heuchera sanguinea (scarlet), 18 in. |
| Callirhoë involucrata, | 1 ft. | Lathyrus latifolius, 5 ft10 ft. |
| Cedronella cana, | 2 ft. | Lobelia cardinalis, 3 ft. |
| Centaurea m. rosea, | 2 ft. | Lychnis Chalcedonica, 3f t. |
| Chelone Lyonii, | 2 ft. | Lychnis dioica pl. (diurna |
| Dianthus alpinus, | 4 in. | pl.), 2 ft. |
| Dianthus latifolia, | 9 in. | Lychnis viscaria pl., 18 in. |
| Dianthus plumarius, | 1 ft. | Lychnis coronaria bicolor, 2 ft. |
| Dianthus barbatus (selected), | 18 in. | Lythrum s. superba, 6 ft. |
| Dicentra spectabilis, | 3 ft. | Monarda didyma, 2 ft. |
| Dodecatheon meadia, | 1 ft. | Penstemon Torreyii, 4 ft. |
| Geum coccineum (scarlet), | 2 ft. | Silene Shafta, , 6 in. |

With Pink Flowers.

| | Height. | Height. |
|--------------------------------|---------|--------------------------------------|
| Anemona Japonica, | 2 ft. | Dicentra eximia, 1 ft. |
| Armeria latifolia, | 18 in. | Dicentra eximia multipinnata, 18 in. |
| Aster patens, | 2 ft. | Erigeron purpureum, 1 ft. |
| Astilbe Chinensis, | 2 ft. | Gillenia stipulacea, 3 ft. |
| Boltonia latisquama, | 5 ft. | Gypsophilla aeutifolia (and |
| Centaurea dealbata, | 18 in. | white), 5 ft. |
| Coronilla varia, | 2 ft. | Helonias bullata, 18 in. |
| Daphne cneorum, | 1 ft. | Hibiseus militaris, 6 ft. |
| Dianthus superbus (and lilac), | 1 ft. | Hibiseus mos. roseus, 4 ft. |

WITH PINK FLOWERS—Continued.

| • | Height. | Н | eight. |
|-------------------------------|-----------|--------------------------------|--------|
| Iberis Gibraltarica, | 1 ft. | Phlox sub. compacta, | 6 in. |
| Lychnis Flos-Jovis, | 1 ft. | Physostegia dentie. | 3 ft. |
| Lychnis Flos-cucculi pl.semp. | ., 18 in. | Physostegia Virginiana, | 2 ft. |
| Malva alcea, | 4 ft. | Saxifraga crassifolia, 1 | .S in. |
| Mertensia pulmon., | 1 ft. | Scabiosa sylvatica, | 2 ft. |
| Monarda fistulosa, | 3 ft. | Sedum Ewersii, | 6 in. |
| Monarda mollis | 2 ft. | Sedum stolonifera, | 9 in. |
| Morina longifolia, | 2 ft. | Sedum Braunii, | 1 ft. |
| Oxalis violacea, | 3 in. | Sedum Sieboldii, | 6 in. |
| Penstemon confertus (and | | Sedum spectabilis, 1 | 8 in. |
| lilac), | 18 in. | Spirœa lobata, | 4 ft. |
| Phlox amæna, | 6 in. | Tunica saxifraga, | 6 in. |
| Phlox ovata, | 1 ft. | Valeriana off. (and lavendar), | 6 ft. |

With Yellow Flowers.

| | Height. | Height. |
|----------------------------------|---------|------------------------------------|
| Achillea Œgyptica, | 1 ft. | Helenium Bolanderi, 3 ft. |
| Achillea filipendulina, | 1 ft. | Helenium pumilum, 18 in. |
| Achillea tomentosa. | .6 in. | Helianthus in var., 3 ft10 ft. |
| Aconitum lycoctonum; | 4 ft. | Hemerocallis flava. 2 in. |
| Adonis vernalis | 1 ft. | Hemerocallis aurante. major, 2 ft. |
| Alyssum in var., | 9 in. | Hemerocallis Thunbergi, 3 ft. |
| Anthemis in var., | 2 ft. | Hyssopus afficinalis. |
| Aquilegia chrysantha, | 2 ft. | Inula ensifolia, 6 in. |
| Cassia Marilandica, | 3 ft. | Inula glandulosa, 2 ft. |
| Centaurea Babylonica, | 6 ft. | Iris pumila aurea, 9 in. |
| Centaurea macrocephala, | 3 ft. | Iris aurea and Bloudovii, 2 ft. |
| Coreopsis delphinifolia, | 4 ft. | Lepachys pinnata, 5 ft |
| Coreopsis grfl. and verticillata | , 3 ft | Lysimachia nummularia, 3 in. |
| Coreopsis lanceolata and trip- | | Opuntia Rafenesqui, 1 ft. |
| teris, | 2 ft. | Œnothera glauca, 18 in. |
| Cytisus capitatus, | 2 ft. | Enothera fr. major and |
| Digitalis ambigua. | 3 ft. | Youngii, 2 ft. |
| Erysimum rupestre, | 6 in. | Enothera macrocarpa, 1 ft. |
| Helenium aut. superbum, | 6 ft. | Œnothera riparia, 1 ft. |

WITH YELLOW FLOWERS-Continued.

| | Height. | | Height. |
|----------------------|-----------|-----------------------|---------|
| Ranunculus speciosa, | 2 ft. | Sedum telephioides, | 1 ft. |
| Rudbeckia in var., | 3 ft8 ft. | Silphium perfoliatum, | 6 ft. |
| Sedum acre, | 3 in. | Thermopsis mollis, | 4 ft. |
| Sedum Aizoon, | 1 ft. | Trollius Europeus, | 2 ft. |
| Sedum Maximowickzi, | 18 in. | Viola lutea grfl., | 6 in. |

With Purple Flowers.

| | Height. | | Height. |
|-------------------------------|---------|-----------------------------|---------|
| Aconitum uncinatum, | . 6 ft. | Funkia in var. except subco | 1'- |
| Ajuga reptans, | 6 in. | data. | |
| Amorpha canescens. | 3 ft. | Galega officinalis (rosy), | 3 ft. |
| Aselepias incarnata (reddish) | , 3 ft. | Lespedeza Sieboldi, | 5 ft. |
| Aster alpina and speciosa. | 6 in. | Lespedeza juncea sericea, | 1 in. |
| Aster Novæ-Anglia, | 6 ft. | Liatris elegans, | 2 ft. |
| Calimeris incisa, | 1 ft. | Liatris pycnostachya, | 5 ft. |
| Campanula Trachelium, | 3 ft. | Liatris spicata montana, | 2 ft. |
| Campanula glomerata Dahur | - | Origanum vulgare, | 18 in. |
| ica, | 18 in. | Penstemon diffusus, | 18 in. |
| Centaurea montana, | 2 ft. | Penstemon grandiflora, | 2 ft. |
| Centaurea nigra and vgta., | 3 ft. | Phlox subulata, | 6 in. |
| Dictamnus alba ruber, | 2 ft. | Stachys lanata, | 2 ft. |
| Echinacea purpurea, | 4 ft. | Vernonia N. Borascensis, | 5 ft. |

With Orange Flowers.

| | Height. | | Height. |
|---------------------------|---------|------------------------|---------|
| Asclepias tuberosus, | 2 ft. | Hemerocallis Kwanso, | 3 ft. |
| Gaillardia Kelwayii, | 2 ft. | Hieracium aurantiacum, | 1 ft. |
| Helenium Hoopesii, | 4 ft. | Kniphofia aloides, | 5 ft. |
| Heliopsis Pitcheriana, | 3 ft. | Papaver pilosum, | 18 in. |
| Hemerocallis Dumortierii, | 18 in. | Trollius Asiaticus, | 18 in. |

With Variegated or Evergreen Foliage.

| Heig | ht. | 1 | Height. |
|-----------------------------------|-----|--------------------------------|---------|
| Acorus calamus vgta. (striped | | Heuchera sanguinea, | 6 in. |
| | ft. | Hydrophyllum Canad., | 1 ft. |
| Amorpha canescens (silvery), 2 | ft. | Iberis semp. and Gibraltarica, | 1 ft. |
| | in. | Iris pumila in var., | 6 in. |
| Artemesia abrotanum (finely | | Lysimachia nummularia, | 3 in. |
| cut, aromatic), | ft. | Miscanthus in var., | 7 ft. |
| Artemesia absintheum (gray, | | Morina longifolia, | 2 ft. |
| | ft. | Opuntia Rafenesqui. | 1 ft. |
| Artemesia stellariana (wooley, | | Pachysandra terminalis and | |
| white), | ft. | vgta., | 9 in. |
| Artemesia pontica (finely cut, | | Phalaris arund. vgta. (striped | |
| gray), 18 i | in. | green and gold), | 2 ft. |
| Asarum Canadensis (green | | Phlox subulata in var., 3 in. | -6 in. |
| broad), 9 i | in. | Santolina incana (gray), | 18 in. |
| Bocconia cordata, 8 | ft. | Saxifraga crassifolia (green | |
| Centaurea nigra vgta. (gold | i | and bronze), | 9 in. |
| and green), 9 i | in. | Sedum in var. | |
| Cerastium tomentosum (white), 6 i | in. | Spiræa filipendula pl., | 6 in |
| Daphne cneorum, 1 | ft. | Spiræa ulmaria aurea vgta. | |
| Dicentra eximia and multi- | | (golden), | 6 in. |
| pinnata (fernlike), 1 | ft. | Stachys lanata (wooley white), | 1 ft. |
| Echinops in var. (gray and | | Thalictrum in var. | |
| blue), | ft. | Uniola latifolia, | 4 ft. |
| Erianthus Ravennæ (Plumy | | Veronica rupestris and cer- | |
| grass), 8 | ft. | cœoides, | 3 in. |
| Eryngium amæthystinum | | Veronica incana (silvery white |) 6 in. |
| (blue), | ft. | · Vinca minor, | 6 .in |
| Funkia in var. (large green), 18 | in. | Vinca minor aurea vgta. (yel- | |
| Funkia ovata Th. Hogg (green | | low and green), | 6 in. |
| and white), 9 | in, | Yucca filamentosa, | 2 ft. |

SPRING FLOWERING. (April and May.)

Adonis vernalis.

Ajuga reptans.

Arabis albida.

Daphne eneorum.

Dodecatheon meadia.

Erysimum rupestre.

Helonias bullata.

Hepatica in var.

Iberis senpervirens.

Iris cristata, Ciengalti and pumila

Mertensia pulmonarioides.

Myosotis dissitifolia.

Phlox subulata in var., amœna and divaricata.

Polemonium reptans.

Primula officinalis.

Sanguinaria Canadensis.

Saxifraga crassifolia.

Thalietrum in var.

Tiarella cordifolia.

Trillium grfl.

Veronica cerceoides, rupestris and amoethystina.

Viola corunta alba and Perfection and lutea grfl.

LATE FALL FLOWERING. (September to hard frost.)

Achillea Œgyptica and filipendulina.

Aconitum autumnale and Napeltus.

Amorpha canescens.

Anemona Jap and var.

Aster Nova-Anglia and var., Nova-Belgii and var.

Aster amosthystinun, Townshendii, puniceus, turbinellus, bicolor and versicolor.

Boltonia in var.

Ceratostigma plumbagioides.

Chelone Lyonii. Chrysanthemum (pompons).

Conoclinum coelestinum.

Daphne cneorum.

Eupatorium ageratoides and Fraseri.

Funkia subcordata.

Gaillardia.

Gentiana Andrewsi.

Helenium aut. superbum.

Helenium pumilum striatum.

Helianthus orgyalis and Maximil-

Inula ensifolia and Hoopesii.

Kniphofia.

Lathyrus lat, and alba.

Lespedeza Sieboldi.

Malva aleca.

boldi.

Phlox Miss Lingard.

Sedum spectabilis, maximum,

Brauni, Ewersi and Sie-

Stockesia cyanea,

Trollius Europeus and Asiaticus.

Veronica long. subsessilis,

OFFICE OF THE BILTMORE NURSERY.

BILTMORE, N. C., April 26, 1901.

Mr. Julius Heurlin,

South Braintree, Mass.

Dear Sir:—We thank you for your letter of April 23d noting the sending of certain plants to replace those received in bad condition or not received at all. I take pleasure in approving your invoice of April 6th and presenting same to our head office for payment. With renewed thanks for your favor and the courteous manner in which you have dealt with us, I am Truly yours,

BILTMORE NURSERY.

Newport Horticultural Society. Secretary's Office.

NEWPORT, R. I., July 9, 1901.

BLUE HILL NURSERY,

Gentlemen: —Your exhibit of Herbaceous Plants, exhibited at our show on July 2d and 3d, were awarded a silver medal for excellence.

I may say they were admired by all the visitors, and the judges were sorry they could not award them more, silver Medal being the highest award offered. Yours truly,

T. FIELDHOUSE, Rec. Sec.

Another superb collection of hard herbaceous flowers was shown by the Blue Hill Nursery, to which exhibitor every first prize for perennials has been awarded this season.

American Florist, Sept. 22, 1900.

MR. J. HEURLIN,

Dear Sir:—All plants you sent us the other day arrived in splendid condition. I wish to thank you for sending such good specimens. Please send me, etc.

Yours truly,

R. C. AMES. (Mrs. F. L. Ames.)

North Easton, Nov. 11, 1901.

BRAINTREE, MASS., Nov. 17, 1901.

MR. JULIUS HEURLIN.

Dear Sir:—The herbaceous plants received from you were all in prime condition and very satisfactory. Also the shrubs were of extra good quality and really beyond expectation.

Very truly yours,

CARL J. SANTHESON.

Gardener to Alden A. Thorndike, Esq.

TAUNTON, MASS., Oct. 5, 1901.

MR. JULIUS HEURLIN,

SOUTH BRAINTREE, MASS.

Dear Sir:—Both cases of plants just arrived in perfect condition. Plants were exceptionally large and fine.

Very truly yours,

E. POWELL.

Gardener to W. J. Clemson, Esq.







A 36

GEO. W. PRESCOTT & SONS, PRINTERS.

A 36